
MTSW Big Aggregate Water Conservancy Concrete Mixer For Dam-Working

THE INTRODUCTION OF MTSW DAM-WORKING CONCRETE MIXER

MTSW dam-work concrete mixer is specially designed according to features of dam work project. The product is applicable to stirring the large skeletal grain and dry hard water conservancy concrete. The main models include MTSW1500/1000, MTSW1750/1250, MTSW2250/1500, MTSW3000/2000, MTSW3750/2500, MTSW4500/3000, MTSW5300/3500, MTSW6000/4000 and MTSW6750/4500. The mixing arms are 90 degree designed. Mixing arm, blades and Linings are thickened design, which have a high intensity and good wear resistance. So the mixer has a better performance in mixing big aggregate, dry and stiff concrete.

1. The stirring arm of the water conservancy concrete mixer is perpendicular (90°).
2. The thick stirring arm, agitating vane and lining plate bring high strength and good abrasion performance.
3. The transmission gear, shaft seal and discharging mechanism are commonly used by MTSW mixer and realize convenient production and maintenance.
4. The domestic and foreign reduction gears are used according to customer demands.



The Best Features of MTSW Dam-Work Concrete Mixer:

-
1. Adopt heavy-type design, which can offer stable performance.
 2. High mixing quality and energy saving.
 3. Multi-pipe water supplying system to ensure even water distribution.
 4. Large mixing capacity and high efficiency.



Product link : <https://www.mitnikmachine.com/?p=1241>